




Meter Cabinets / Distribution Cabinets

For internal use only!




ET-MO1

Front view




ET-MO1

Front view without door



Side view



The meter cabinet has passed various tests with certificate and meets the following standards:

- IEC364-4-41 class II against touch voltage
- IEC 60439-1; IEC 60439-3; IEC 60529 for low voltage switching device combinations
- HRN EN 62262: 2008 in the IK rating IK10 for impact resistance test
- the IP Rating IP54 according to EN 60529




ET-MO2




ET-MO2

Front view




ET-MO2

Front view without doors



Side view



Meter cabinet, swing handle and flat rods of certified polycarbonate material class VO, flame resistant and self-extinguishing, resistant against UV radiation and UV ageing. Swing handle with round cylinder, one key of nickel silver with handle piece polycarbonate.

Model	Weight in kg	Item no.
ET-MO1 for two electricity meters	6,70	8903-U10
ET-MO2 for four electricity meters	10,80	8903-U20

Fuse housing

MODEL ET-KO1 / ET-KO2


In combination with the meter cabinet ET-MO, the fuse housing ET-KO serves as input and output distribution cabinet.





Front view

Front view without door

Side view



ET-KO1



ET-KO1



ET-KO2


The fuse housing has passed various tests with certificate and meets the following standards:

- IEC364-4-41 class II against touch voltage
- IEC 60439-1; IEC 60439-3; IEC 60529 for low voltage switching device combinations
- HRN EN 62262: 2008 in the IK rating IK10 for impact resistance test
- the IP Rating IP54 according to EN 60529



Front view

Front view without doors

Side view






ET-KO2



ET-KO2

Fuse housing of certified polycarbonate material class VO, flame resistant and self-extinguishing, resistant against UV radiation and UV ageing. Swing handle with round cylinder, one key of nickel silver with handle piece polycarbonate.

Model	Weight in kg	Item no.
ET-KO1 for ET-MO1	3,90	8903-U11
ET-KO2 for ET-MO2	6,10	8903-U21



Mounting set for meter cabinet models ET-MO1 and ET-MO2 for mounting on round objects (min. Ø 167 mm until max. Ø 307 mm).
2 plastic brackets of polycarbonate material class VO;
2 clamping straps with clamping device;
fixing screws M8 steel zinc-plated

for model	Item no.
ET-MO1	on request
ET-MO2	on request